Subject index

A

Abdomen, reduction following jejunoileal bypass for morbid obesity, 581
Adenosine triphosphate (ATP), in treatment of ischaemic skin flaps, 675
Adipose tissue fragments, experimental, implantation, 207
Aglossia-adactyly syndrome (case report), 229
Airways, laryngeal mask, 478
Alar groove, reconstruction, 281
Allopurinol, effect on ischaemia reperfusion injury in pedicle skin flaps, 668
Amnion, human, in treatment of chronic venous leg ulcers, 463
Amniotic bands, role in pathogenesis of oblique facial clefts, 291
Anaesthesia, use of Brain laryngeal mask airway in difficult tracheal intubation, 478
Anastomosis *see* Microvascular anastomosis
Angiogenic hypothesis of repair and fibrosis (letter to editor), 725
Apocrine glands at base of eyelashes, carcinoma of, 598
Armed Services, British, history of plastic surgery in, 700
Arteries
  microarterial grafting into carotid artery of rabbit, 59
  two-ply biodegradable microarterial prosthesis, 544
Atlantoaxial rotatory subluxation following pharyngoplasty, 722
Auditing, 1, 420, 724
Auricles, petrified, 715
Axilla surgery, use of new splint, 114

B

Blepharoptosis and facial nerve paresis, treatment using modified frontalis sling (case report), 610
Blood flow
  in experimental saphenous flap model, 405
  monitoring in flaps, electrical impedance in, 318
  in single cephalad channel venous island flap, 405
Bowel, revascularised grafts used in reconstructing cervical oesophagus, 199
Bradycardia, reflex, in facial surgery, 595
Brain laryngeal mask airway, 478
Branchial sinus, first, cleft in hemifacial microsomia (case report), 95
Breast
  implants
    capsular contracture, 591
    silastic gel-filled, removal through axillary approach (ideas and innovations), 613
  polymastia, in congenital chest wall deformity (case report), 484
  reconstruction with tissue expansion, capsular contracture after, 591
Burns
  electric fire hand burns in children, long-term results, 468
  partial thickness, healing response to silver sulphadiazine, 581

C

Calcinosis, scrotal, 324
Calcium alginate dressings for split skin graft donor sites, 373
Cancer/carcinoma *see sites of cancer/carcinoma*
Capillaries, transformation into interstitial tissue (letter to editor), 725
Carotid artery, microarterial grafting into, 59
Cephalad channel venous island flaps, tracer techniques to ascertain mode of survival, 405
Cephalic venous flap, 193
Chest wall
  congenital deformity with polymastia and absence of part of lung (case report), 484
  reconstruction of full thickness defect by double-folded vertical rectus abdominis musculocutaneous flap (case report), 460
Chin reconstruction using compound radial artery forearm flap (case report), 337
Clamps, microvascular (ideas and innovations), 347
Colon, revascularised grafts used in reconstructing cervical oesophagus, 199
Columella reconstruction, transverse forked flap, 270
Communication, 1, 724
Computers, coding of fractures in craniofacial region, 17
Cort, David Francis, obituary, 366
Craniofacial
  fractures, computer-based coding, 17
  injuries, 385
  surgery
    cranio-orbital neurofibromatosis, 155
    microvascular surgery in, 146
Craniomaxillofacial reconstruction, microvascular surgery as adjunct to, 146
Cyclosporin immunosuppression following skin allografts (letter to editor), 618
  in burned patients, 27, 492
Cytology, fine needle aspiration, head and neck region, 447

D

Deferoxamine, effect on secondary ischaemia caused by venous obstruction, 422
Denture implantation following mandible reconstruction (case report), 344
Dermis, support by subcuticular sutures, effect on scar stretching, 74
Desferrioxamine, effect on lipid peroxidation and survival of ischaemic island skin flaps, 565
Diabetes mellitus, microvascular anastomoses in, 50

E

Ear lobe, torn, reconstruction (letter to editor), 118
Ears
  acrobatic, a cause of petrified auricles, 715

Ears (*continued*)
prominent
correction using new method of auricoplasty, 285
head dressings in post-operative management, 692
reconstruction with moulded perichondrial flaps, 223
Editing, 1, 724
Epigastric artery, inferior, skin flaps without rectus abdominis muscle, 645
Epithelioma cuniculatum plantare, 79
Epithelium, grafted autologous cultured, ultrastructural study, 35
Extracorporeal tissue transfer for extensive facial defects, 521
Eyelashes, carcinoma of apocrine glands, 598

F

Face
accidental reinnervation of latissimus dorsi flap to (case report), 341
hemifacial microsomia
composite flap for early treatment, 163
first branchial cleft sinus in (case report), 95
oblique clefts, amniotic bands in pathogenesis of, 291
reconstruction with extracorporeal tissue transfer, 521
surgery, reflex bradycardia in, 595
see also Cranio(maxillo)facial
Facial appearance sorting test (FAST) in selection of patients for rhinoplasty, 65
Facial nerve paresis and blepharoptosis, treatment using modified frontalis sling (case report), 610
Fasciocutaneous flaps
classification (letter to editor), 616
popliteo-posterior thigh island flap, for closure round knee, 140, 144
reverse pedicled posterior tibial, 512
Feet
epithelioma cuniculatum plantare, 79
first web flap, 507
reconstruction with reverse pedicled posterior tibial fasciocutaneous flap, 512
Femoral vein, prosthetic implantation, 538
Fibrin glue, use in microvascular anastomosis, 54
Fibrosis, angiogenic hypothesis (letter to editor), 725
Fingers
replantation, use of intra-replant subcutaneous heparin, 556
salvage of ring avulsed finger in heavy manual worker, 43
Forearm flaps, radial *see* Radial forearm flaps
Forked flap, transverse, in columella reconstruction, 270
Free flaps
double peroneal, in treatment of multiple skin defects of hand, 718
expanded, in lower limb reconstruction in children, 649
impedance monitoring of subcutaneous transfers, 318
latissimus dorsi, accidental reinnervation of flap to face and scalp (case report), 341
neovascularisation using vein grafts pedicles, 216
posterior radial epiphysis, 499
radial forearm, in pharyngostome closure, 473
transfer, Welsh Regional Unit experience, 435
Free radicals, in treatment of ischaemic skin flaps, 675
Frontalis muscle sling in treatment of blepharoptosis and facial nerve paresis (case report), 610

G

Glove perforation during plastic surgery, 481
Glutaraldehyde-tanned microvascular grafts, 429
Gluteal artery, superior, steal syndrome (case report), 603
Gluteus maximus muscle, modified V-Y advancement flaps, 263

H

Hailey-Hailey disease, wide excision of perineal disease with secondary healing, 230
Hands
double peroneal free flaps for multiple skin defects, 718
electric fire hand burns in children, long-term results, 468
first web-space reconstruction by Caroli's technique in congenital deformities with severe thumb adduction, 653
Head and neck, fine needle aspiration cytology, 447
Heparin, intra-replant subcutaneous, as alternative to venous anastomosis, 556
Hidradenitis suppurativa, axillary, surgical treatment, 114
History
lip repair, 104
Northern Ireland Plastic Surgery and Maxillo-Facial Unit, 235
Oxford Plastic Surgery Unit, 349
Pietro Sabattini, 104
plastic surgery in Britain's Armed Services, 700
plastic surgery in Leeds, 107
Queen Victoria Hospital, East Grinstead (letter to editor), 244
Hypospadias
Cecil-Culp urethroplasty, location of distal urethral opening at tip of glans, 70
long-term view, 251
surgical correction, 638

I

Impedance monitoring for subcutaneous free flap transfers, 318
Infection control, CO_2 laser versus iodine, 380
Iodine in wound sterilization, 380
Ischaemia
reperfusion injury, 668
secondary venous, effect of deferoxamine, 422
skin flaps
effect of desferrioxamine, 565
effects of ATP, free radicals and thromboxane, 675
Island flaps
popliteo-posterior thigh fasciocutaneous, 140, 144
reverse flow saphenous, in patient with below-knee amputation, 517
reverse flow ulnar artery, 256
"rib sandwich" pectoralis major, in reconstruction of lower jaw, 101
single cephalad channel, mode of survival, 405
skin, effect of desferrioxamine on lipid peroxidation and flap survival, 565

J

Jaw, lower, reconstruction after animal bite using "rib sandwich" pectoralis major island flap, 101

Jejunum
free transfer using ultrasonic Doppler probe, experimental clinical monitoring, 274
microvascular transplants in reconstruction of cutaneous defects, 425
revascularised grafts used in reconstructing cervical oesophagus, 199

K

Keloid, treatment with silicone gel, 83
Keratoacanthomas, 118
Knee joint, repair of skin defects using popliteo-posterior fasciocutaneous island flap, 140, 144

L

Laryngeal mask airway, Brain, 478
Lasers
argon, treatment of port wine stain, 125
carbon dioxide, in wound sterilization, 380
Latissimus dorsi muscle
free flap to face and scalp, accidental reinnervation (case report), 341
intramuscular anatomy (case report), 607
Leeches
chemical, use of intra-replant subcutaneous heparin, 556
control of, 42, 244
Leeds, plastic surgery in, 107
Legs
reconstruction with reverse pedicled posterior tibial fasciocutaneous flap, 512
reverse flow saphenous island flap in patient with below-knee amputation, 517
ulcers, treatment with human amnion, 463
Limbs, lower *see* Lower limbs
Liposomal superoxide dismutase (L-SOD) in salvage of distal flap necrosis, 559
Liposuction in treatment of lymphoedema, 530
Lips
cleft
anatomy of orbicularis oris muscle, 710
associated Mongolian spots, 625
bilateral, repair over prominent premaxilla, 660
lower, sinus associated with cleft lip and palate (case report), 92
reconstruction
compound radial artery forearm flap (case report), 337
of traumatic loss of vermilion and musculocutaneous junction, 526
repair, history, 104
upper, reconstruction using free superficial temporal artery hair-bearing flap (case report), 333
Lower limbs, reconstruction in children using expanded free flaps, 649
Lymphocoele, delayed, following neck dissection (case report), 339
Lymphoedema, liposuction treatment, 530

M

Mandible, reconstruction with subsequent denture implantation (case report), 344
Mask, Brain laryngeal mask airway, 478
Maxilla, reconstruction after cancer excision, 628
Melanoma, malignant, late recurrence of cutaneous melanoma, 46
Microneural surgery, nerve apportionment, 570
Microsocpes, indigenous, inexpensive, operating (ideas and innovations), 233, 618
Microvascular
anastomosis
in diabetes, 50
non-suture cuff techniques, 550
prosthetic microvenous grafting into femoral vein, 538
sepsis in promotion of thrombosis in, 314
of significantly disproportionate vessels, using thin-walled interposition vein grafts, 534
using polyethylene glycol 4000 and fibrin glue, 54
grafts, glutaraldehyde-tanned, 429
surgery
in craniomaxillofacial reconstruction, 146
simplified clamps (ideas and innovations), 347
Mongolian spots associated with cleft lip, 625
Mouth, intra-oral carcinoma, 266
functional implications of major surgery, 266
reconstruction using folded, bipaddled pectoralis major composite flap, 441
Muscles, freeze-thawed autologous skeletal muscle grafts in repair of peripheral nerves, 306
Musculocutaneous flaps
gluteus maximus, modified V-Y advancement flaps, 263
nasalis, 695
rectus abdominis double-folded vertical, in reconstruction of full thickness chest wall defect (case report), 460

N

Nasalis muscle, musculocutaneous flap, 695
Neck
dissection, delayed lymphocoele (case report), 339
fine needle aspiration cytology, 447
Necrosis
of distal flaps
reactive oxygen species in, 559
salvage with liposomal SOD, 559
skin flaps, desferrioxamine in prevention of, 565
Nerves
accidental reinnervation of latissimus dorsi flap to face and scalp (case report), 341
apportionment in microneural surgery, 570
grafts, island pedicled, 573
peripheral
comparison of immediate and delayed repair using freeze-thawed autologous skeletal muscle grafts, 306
effect of tissue expansion, 414
response to controlled soft tissue expansion, 682
post-injury changes in transected foetal nerves, 296
return of function after microsurgical repair, 212
Neurofibromatosis, cranio-orbital, surgical treatment, 155
Northern Ireland Plastic Surgery and Maxillo-Facial Unit, 235
Nose
alar groove reconstruction, 281
columella reconstruction, transverse forked flap, 270
repair, nasalis musculocutaneous flap, 695
rhinoplasty, facial appearance sorting test as aid to patient selection, 65

O

Obesity, abdominal reduction following jejunoileal bypass, 581
Obituaries
  Cort, David Francis, 366
  Tilley, A. Ross, 242
Oesophagus, cervical, morphological and morphometric changes in revascularised bowel grafts used in reconstruction, 199
Oral *see* Mouth
Orbicularis oris muscle, anatomy in cleft lip, 710
Orbit, cranio-orbital neurofibromatosis, surgical treatment, 155
Osteomusculocutaneous flaps, pectoralis major, used as "rib sandwich" in reconstruction of lower jaw, 101
Osteomyelitis of sternum
  treatment with pectoralis major muscle (letter to editor), 725
  treatment with rectus abdominis muscle, 452
Oxford Plastic Surgery Unit, history of, 349

P

Palate
  cleft, role of amniotic bands in pathogenesis, 291
  hard, speech results after early and delayed closure, 187
Pectoralis major muscle
  folded, bipaddled composite flap in oral cancer reconstruction, 441
  osteomusculocutaneous island flap used as "rib sandwich" in reconstruction of lower jaw, 101
Perichondrium, ear reconstruction with perichondrial flaps, 223
Perineum, wide excision in Hailey Hailey disease with secondary healing, 230
Peroneal free flap, double, in treatment of multiple skin defects of hand, 718
Pharyngoplasty, atlantoaxial rotatory subluxation following, 722
Pharyngostome closure using radial forearm free flap, 473
Plastic surgery, training (letter to editor), 616
Polydioxanone (PDS) sutures in wounds closed under tension, 687
Polyethylene glycol 4000 intravascular stent, use in microvascular anastomosis, 54
Polyglycolic acid (PGA; Dexon) sutures in wounds closed under tension, 687
Polymastia in congenital chest wall deformity (case report), 484
Popliteo-posterior thigh fasciocutaneous island flap for closure round knee, 140, 144
Port wine stains, argon laser treatment, 125
Prostheses
  microarterial, 59
    two-ply biodegradable, 544
  microvenous, grafting into femoral vein, 538
Pterygium colli, surgical treatment, 178

Q

Quality assurance, 364
Queen Victoria Hospital, East Grinstead, history of (letter to editor), 244

R

Radial epiphysis free flap, posterior, 499
Radial forearm flaps
  compound, in lip and chin reconstruction (case report), 337
  use in pharyngostome closure, 473
Reactive oxygen species (ROS), significance in distal flap necrosis, 559
Rectus abdominis muscle
  in reconstruction of full thickness chest wall defect by double-folded vertical musculocutaneous flap (case report), 460
  transfer in treatment of sternal osteomyelitis, 452
Reflex bradycardia in facial surgery, 595
Replantation surgery, use of intra-replant subcutaneous heparin, 556
Reverse flow
  saphenous island flap in patient with below-knee amputation, 517
  ulnar artery island flap, 256
Reverse pedicled posterior tibial fasciocutaneous flap in reconstruction of lower leg and foot, 512
Rhinoplasty, facial appearance sorting test as aid to patient selection, 65
Ribs
  "rib sandwich" pectoralis major island flap in reconstruction of lower jaw, 101
  serratus anterior/rib composite flap, anomalous blood supply (case report), 98

S

Sabattini, Pietro, 104
Saphenous flaps
  blood flow in, 405
  reverse flow island flap, in patient with below-knee amputation, 517
  venous, 399
    ^{99m}Tc labelled RBCs in, 193
Scalp, accidental reinnervation of latissimus dorsi flap to (case report), 341
Scars
  contractures, trapezoid release, 173
  keloid *see* Keloid
  stretching, benefit of prolonged dermal support, 74
  wounds closed under tension, comparison of PGA and PDS, 687
Scrotum
  bifid, surgical correction using subcutaneous pedicle flaps (case report), 328
  idiopathic calcinosis, 324
Sepsis in promotion of thrombosis in microvascular anastomosis, 314
Serratus anterior/rib composite flap, anomalous blood supply (case report), 98
Silicone gel in treatment of keloid scars, 83
Silver sulphadiazine and healing of partial thickness burns, 581
Skin
  defects, reconstruction using microvascular jejunal transplants, 425
  flaps
    effect of desferrioxamine on lipid peroxidation and flap survival, 565

inferior epigastric artery without rectus abdominis muscle, 645
ischaemic, salvage using ATP, free radicals and thromboxane, 675
ischaemic reperfusion injury, 668
grafts
calcium alginate dressing for split skin graft donor site, 373
cyclosporin immunosuppression, 27, 492, 618
regeneration of cold, warmth and heat-pain sensibility, 576
split skin grafts, expansion of, 88
squamous cell carcinoma in donor site (letter to editor), 118
squamous cell carcinoma in skin graft donor site (letter to editor), 118
Speech following early and delayed closure of hard palate, 187
Splints, axillary surgery, 114
Sternum, osteomyelitis
treatment with pectoralis major muscle (letter to editor), 725
treatment with rectus abdominis muscle, 452
Superoxide dismutase (SOD)
effect on ischaemia reperfusion injury in pedicle skin flaps, 668
liposomal, in salvage of distal skin necrosis, 559
Sutures, comparison of PGA and PDS for wound closure under tension, 687
Syndactyly, correction, 12

T

Tagliacotian
Deception in plastic surgery?, 615
Quality assurance, 364
Waiting lists, 490
Temporal artery, superficial, free hair-bearing flap, in upper lip reconstruction (case report), 333
Thigh flaps
anterolateral variations in vascular pedicle, 260
lower posterolateral, 133, 144
popliteo-posterior fasciocutaneous island flap for closure round knee, 140, 144
Thrombosis following microvascular anastomosis, promotion by sepsis, 314
Thromboxane, in treatment of ischaemic skin flaps, 675
Thumb, severe adduction, first web-space reconstruction by Caroli's technique, 653
Tilley, A. Ross, obituary, 242
Tissue, extracorporeal transfer for extensive facial defects, 521
Tissue expansion
in breast reconstruction, effect on incidence of capsular contracture, 591
effect on peripheral nerves, 414
improved model, 301
response of peripheral nerve field, 682
Trapezoid flap for release of scar contractures, 173

U

Ulcers, treatment of venous leg ulcers with prepared human amnion, 463
Ulnar artery island flap, reverse flow, 256
Ultrasound, Doppler, implantable probe in monitoring of free jejunal transfers, 274
Urethra, fistulae, management, 184
Urethroplasty, Cecil-Culp, location of distal urethral opening at tip of glans, 70

V

Vaginoplasty, improvised mould for (ideas and innovations), 487
Veins
microvenous grafts
in anastomosis of significantly disproportionate vessels, 534
prosthetic implantation into femoral vein, 538
use as pedicles in creation of neovascularised free flaps, 216
obstruction, deferoxamine treatment of secondary ischaemia, 422
Venous
flaps
cephalad channel, tracer techniques to ascertain mode of survival, 405
cephalic, 193
saphenous, ^{99m}Tc labelled RBCs in, 193
ulcers, treatment of leg ulcers with prepared human amnion, 463

W

Waiting lists for plastic surgery, 490
Web-space, first
distally based flap in foot, 507
reconstruction by Caroli's technique in congenital hand deformities with severe thumb adduction, 653
Wounds
calcium alginate dressing for split skin graft donor site, 373
closure under tension, comparison of PGA and PDS, 687
sterilization, CO_2 laser versus iodine, 380

Author index

A

Agrawal, K., jt. author. *See* Kumar, P. A.V.
Aihara, M. Ultrastructural study of grafted autologous cultured human epithelium, 35
Akosa, A. B., Gilliland, E. A., Ali, M. H. and Khoo, C. T.K. Idiopathic scrotal calcinosis: a possible aetiology reaffirmed, 324
Al-Nafussi, A. I., jt. author. *See* McCann, J. J.
Al-Qattan, M. M., Stranc, M. F., Jarmuske, M. and Hoban, D. J. Wound sterilization: CO_2 laser versus iodine, 380
Al-Rabah, N., jt. author. *See* Lari, A. A.
Ali, M. H., jt. author. *See* Akosa, A. B.
Angel, M. F., Mellow, C. G., Knight, K. R. and O'Brien, B. McC. The effect of deferoxamine on tolerance to secondary ischaemia caused by venous obstruction, 422
Antonyshyn, O., jt. author. *See* Gruss, J. S.
Arora, P. K. Reconstruction of the middle-aged torn earlobe; a new method (letter to the editor), 118
Åstrand, K., jt. author. *See* Waris, T.
Attwood, A. I. Calcium alginate dressing accelerates split skin graft donor site healing, 373
Augustine, S., jt. author. *See* Grace, P. A.

B

Bailey, B. N., jt. author. *See* Dickinson, J. C.
Barnett, G. R., Taylor, G. I. and Mutimer, K. L. The "chemical leech": intra-replant subcutaneous heparin as an alternative to venous anastomosis. Report of three cases, 556
Barr, L. C. and Joyce, A. D. Microvascular anastomoses in diabetes: an experimental study, 50
Bartels, H. L., jt. author. *See* van der Lei, B.
Baudet, J., jt. author. *See* Martin, D.
Bennett, J. P., jt. author. *See* Ward, D. J.
Beranek, J. T. Transformation of capillaries into interstitial tissue: further evidence in favour of the angiogenic hypothesis of repair and fibrosis (letter to the editor), 725
Bhathena, H. M. and Kavarana, N. M. The folded, bipaddled pectoralis major composite flap in oral cancer reconstruction, 441
Blight, A. and Levick, P. L. The fate of allograft skin in immunosuppressed burned patients (letter to the editor), 492
Boileau, R., jt. author. *See* Martin, D.
Bos, J. D., jt. author. *See* Timmenga, E. J.F.
Bracka, A. A long-term view of hypospadias, 251
Briggs, J. C., jt. author. *See* Callaway, M. P.
Brown, R. F., Chapman, C. W. and McDermott, B. C. The continuing story of plastic surgery in Britain's Armed Services, 700
Bullen, P., jt. author. *See* Walker, S. J.
Buncke, H. J., jt. author. *See* Hirasé, Y.
Burgos, H., jt. author. *See* Ward, D. J.

C

Callaway, M. P. and Briggs, J. C. The incidence of late recurrence (greater than 10 years); an analysis of 536 consecutive cases of cutaneous melanoma, 46
Campbell, R. C., jt. author. *See* Harding, A.
Campsie, L. M., jt. author. *See* Freedlander, E.
Caroli, A. and Zanasi, S. First web-space reconstruction by Caroli's technique in congenital hand deformities with severe thumb ray adduction, 653
Cassel, J. M. Intramuscular anatomy of the latissimus dorsi muscle (case report), 607
Cau Yude, jt. author. *See* Li Zhutian
Chait, L. A. and Fayman, M. S. A modified frontalis sling in the treatment of combined blepharoptosis and facial nerve paresis (case report), 610
Chait, L. A. and Fayman, M. S. Reconstruction of the alar groove, 281
Chantarasak, N. D. and Green, M. F. Delayed lymphocoele following neck dissection (case report), 339
Chantarasak, N. D. and Milner, R. H. A comparison of scar quality in wounds closed under tension with PGA (Dexon) and Polydioxanone (PDS), 687
Chantarasak, N. D., jt. author. *See* Earley, M. J.
Chapman, C. W., jt. author. *See* Brown, R. F.
Cleland, L. G., jt. author. *See* Hawkes, J. S.
Climo, M. S., Enos, W. F. and King, P. G. Squamous cell carcinoma of skin developing in a skin graft donor site (letter to the editor), 118
Coe, S. A., jt. author. *See* Knight, K. R.
Cole, R. P. and Gault, D. T. Glove perforation during plastic surgery, 481
Coleman, D. J. and Timmons, M. J. Non-suture external cuff techniques for microvascular anastomosis, 550
Colville, J. Syndactyly correction, 12
Cooper, M. A.C. S. Controlling the medicinal leech (letter to the editor), 244
Cooter, R. D. and David, D. J. Computer-based coding of fractures in the craniofacial region, 17
Copas, J. B. and Robin, A. A. The Facial Appearance Sorting Test (FAST): an aid to the selection of patients for rhinoplasty, 65
Cormack, G. Classification of fasciocutaneous flaps (letter to the editor), 617

D

Dashti, H., jt. author. *See* Lari, A. A.
David, D. J., jt. author. *See* Cooter, R. D.
Davies, D. M., jt. author. *See* Smith, R. W.
De Mey, A., jt. author. *See* Rossillon, D.
Deeb, G. M., jt. author. *See* Iacobucci, J. J.
Deshpande, S. N., Jagtap, S. R. and Thatte, R. L. An unusual case of congenital chest wall deformity with polymastia and absence of part of the lung (case report), 484
Deshpande, S. N., jt. author. *See* Thatte, M. R.
Dhami, L., jt. author. *See* Green, C. J.
Dickinson, J. C. and Bailey, B. N. Island pedicled nerve grafts, 573
Dunkley, M. P. and Morris, A. M. The trapezoid release for scar contractures: early experience, 173
Dvir, E., jt. author. *See* Knight, K. R.
Dvir, E., jt. author. *See* O'Brien, B. McC.

E

Eadie, P. A., Moran, R., Fogarty, E. E. and Edwards, G. E. Rotatory atlantoaxial subluxation following pharyngoplasty, 722
Earley, M. J. Primary maxillary reconstruction after cancer excision, 628
Earley, M. J. and Chantarasak, N. D. The transverse forked flap in columella reconstruction, 270
Earley, M. J. and Milner, R. H. A distally based first web flap in the foot, 507
Earley, M. J., jt. author. *See* Percival, N. J.
Edwards, G. E., jt. author. *See* Eadie, P. A.
Elliot, D. and Mahaffey, P. J. The stretched scar: the benefit of prolonged dermal support, 74
Ellis, H., jt. author. *See* McLean, N. R.
Emami, A., jt. author. *See* Moghari, A.
Endo, T., jt. author. *See* Sakai, S.
Enos, W. F., jt. author. *See* Climo, M. S.
Espie, C. A., jt. author. *See* Freedlander, E.

F

Fabre, J., jt. author. *See* Ward, D. J.
Fayman, M. S., jt. author. *See* Chait, L. A.
Fernandes, A. M.B. A history of the Queen Victoria Hospital, East Grinstead (letter to the editor), 244
Fisher, J. and Jackson, I. T. Microvascular surgery as an adjunct to craniomaxillofacial reconstruction, 146
Fogarty, E. E., jt. author. *See* Eadie, P. A.
Frame, J. D. and Hancock, K. The fate of allograft skin on immunosuppressed burned patients (letter to the editor), 492
Frame, J. D., Sanders, R., Goodacre, T. E.E. and Morgan, B. D.G. The fate of meshed allograft skin in burned patients using cyclosporin immunosuppression, 27
Freedlander, E., Espie, C. A., Campsie, L. M., Soutar, D. S. and Robertson, A. G. Functional implications of major surgery for intraoral cancer, 266
Fujino, T., jt. author. *See* Kiyoizumi, T.
Fukuda, H., jt. author. *See* Koshima, I.

G

Gattuso, J. M., Glasby, M. A., Gschmeissner, S. E. and Norris, R. W. A comparison of immediate and delayed repair of peripheral nerves using freeze-thawed autologous skeletal muscle grafts—in the rat, 306
Gault, D. T., jt. author. *See* Cole, R. P.
Gibney, E. J. Inexpensive operating microscope (letter to the editor), 618
Gilliland, E. A., jt. author. *See* Akosa, A. B.
Glasby, M. A., jt. author. *See* Gattuso, J. M.
Globerman, D. Y., jt. author. *See* Stranc, M. F.
Goodacre, T. E.E., jt. author. *See* Frame, J. D.
Govila, A. An indigenous, inexpensive operating microscope (ideas and innovations), 233
Govila, A. Extracorporeal tissue transfer for extensive facial defects, 521
Govila, A. Simplified microvascular clamps (ideas and innovations), 347
Govila, A. and James, J. H. Nerve apportionment in microneural surgery, 570
Govila, A., Rao, G. S.S. and James, J. H. Primary reconstruction of a major loss of lower jaw by an animal bite using a "rib sandwich" pectoralis major island flap (case report), 101
Grace, P. A., Augustine, S. and Lynch, G. Immediate return of nerve function following micosurgical repair, 212
Green, C. J., Dhami, L., Prasad, S., Healing, G. and Shurey, C. The effect of desferrioxamine on lipid peroxidation and survival of ischaemic island skin flaps in rats, 565
Green, M. F., jt. author. *See* Chantarasak, N. D.
Gruss, J. S., Pollock, R. A., Phillips, J. H. and Antonyshyn, O. Combined injuries of the cranium and face, 385
Gschmeissner, S. E., jt. author. *See* Gattuso, J. M.
Guido, N. L., jt. author. *See* Viegas, T.
Gumley, G. J., Hamilton, S. G.L., MacLeod, A. M. and O'Brien, B. McC. An assessment of different types of anastomosis with significant vessel disproportion using thin-walled interposition vein grafts, 534

H

Hall, J. D., jt. author. *See* Iacobucci, J. J.
Hämäläinen, H., jt. author. *See* Waris, T.
Hamdy, M. H., jt. author. *See* Mahfouz, E. H.
Hamilton, S. G.L., jt. author. *See* Gumley, G. J.
Hancock, K., jt. author. *See* Frame, J. D.
Harding, A. and Campbell, R. C. A comparison of the speech results after early and delayed hard palate closure; a preliminary report, 187
Harrison, D. H. and Mott, G. Impedance monitoring for subcutaneous free flap transfers, 318
Harrop-Griffiths, K., jt. author. *See* McLean, N. R.
Hasegawa, M., jt. author. *See* Torii, S.
Hawkes, J. S., Young, C. M.A. and Cleland, L. G. Ischaemia reperfusion injury in pedicle skin flaps in the pig: lack of protective effect of SOD and allopurinol, 668
Hayashi, Y., jt. author. *See* Torii, S.
Healing, G., jt. author. *See* Green, C. J.
Heywood, A. J. and Quaba, A. A. Modified gluteus maximus V-Y advancement flaps, 263
Hirasé, Y., Valauri, F. A. and Buncke, H. J. An experimental model for ear reconstruction with moulded perichondrial flaps: a preliminary report, 223
Hirasé, Y., Valauri, F. A. and Buncke, H. J. Creation of neovascularised free flaps using vein grafts as pedicles: a preliminary report on experimental models, 216
Hoban, D. J., jt. author. *See* Al-Qattan, M. M.
Holmes, J. D. Capsular contracture after breast reconstruction with tissue expansion, 591
Hong, G., Steffens, K. and Wang, F. B. Reconstruction of the lower leg and foot with the reverse pedicled posterior tibial fasciocutaneous flap, 512
Hoof, I.van , jt. author. *See* Mey, A.de
Hoopes, J. E., jt. author. *See* Labs, J. D.
Hoppen, H. J., jt. author. *See* Robinson, P. H.
Hosokawa, M., jt. author. *See* Yoshimura, M.
Hueston, J. T. and Mazzola, R. Antecedents of Abbe. The sesquicentenary of Sabattini, 104
Hughes, N. C. The Northern Ireland Plastic Surgery and Maxillo-Facial Unit, 235
Hung, L. K. and Leung, P. C. Salvage of the ring avulsed finger in heavy manual workers, 43
Hunsaker, R., jt. author. *See* Martin, D. L.

I

Iacobucci, J. J., Stevenson, T. R., Hall, J. D. and Deeb, G. M. Sternal osteomyelitis: treatment with rectus abdominis muscle, 452
Ichikawa, H., jt. author. *See* Kurata, S.
Imura, S., jt. author. *See* Yoshimura, M.
Inoue, Y., jt. author. *See* Kurata, S.
Ishii, M., jt. author. *See* Sakai, S.
Issa, M. A., jt. author. *See* Mahfouz, E. H.
Isshiki, N., jt. author. *See* Suzuki, S.
Itami, S., jt. author. *See* Kurata, S.
Iwahira, Y., jt. author. *See* Maruyama, Y.

J

Jackson, I. T., jt. author. *See* Fisher, J.
Jagtap, S. R., jt. author. *See* Deshpande, S. N.
James, J. H., jt. author. *See* Govila, A.
Jarmuske, M., jt. author. *See* Al-Qattan, M. M.
Järvilehto, T., jt. author. *See* Waris, T.
Jones, N. F., Rocke, A. M., Swartz, W. M. and Klein, A. Experimental and clinical monitoring of free jejunal transfers using an implantable ultrasonic Doppler probe, 274
Jongebloed, W. L., jt. author. *See* Robinson, P. H.
Joyce, A. D., jt. author. *See* Barr, L. C.

K

Kamdar, N. B., jt. author. *See* Thatte, M. R.
Kamei, M., jt. author. *See* Takato, T.
Kamiji, T., Maeda, M., Matsumoto, K. and Nishioka, K. Microvascular anastomosis using polyethylene glycol 4000 and fibrin glue, 54
Kavarana, N. M., jt. author. *See* Bhathna, H. M.
Kawabata, H., jt. author. *See* Knight, K. R.
Kerrigan, C. L., jt. author. *See* Wells, M. D.
Khakkar, D. V., jt. author. *See* Thatte, M. R.
Khazanchi, R. K., jt. author. *See* O'Brien, B. McC.
Khoo, C. T.K., jt. author. *See* Akosa, A. B.
Kikui, T., jt. author. *See* Tahara, S.
King, P. G., jt. author. *See* Climo.M. S.
Kiyoizumi, T., Takeshita, T. and Fujino, T. Reconstruction of a large full thickness chest wall defect by a double-folded vertical rectus abdominis musculocutaneous flap (case report), 460
Klein, A., jt. author. *See* Jones, N. F.
Klopper, P. J., jt. author. *See* Timmenga, E. J.F.
Knight, K. R., Dvir, E., Kawabata, H., Coe, S. A., MacLeod, A. M. and O'Brien, B. McC. Factors involved in salvaging ischaemic rabbit skin flaps: ATP and free radicals but not thromboxane, 675
Knight, K. R., jt. author. *See* Angel, M. F.
Knol, K. E., jt. author. *See* Robinson, P. H.
Koshima, I., Fukuda, H., Utunomiya, R. and Soeda, S. The anterolateral thigh flap; variations in its vascular pedicle, 260
Koshima, I. and Soeda, S. Inferior epigastric artery skin flaps without rectus abdominis muscle, 645
Kumar, P. A.V. and Agrawal, K. Repair of bilateral cleft lip over prominent premaxilla, 660
Kumar, P. A.V., jt. author. *See* O'Brien, B. McC.
Kumta, S. M., jt. author. *See* Purohit, S. K.
Kumta, S. M., jt. author. *See* Thatte, M. R.
Kurata, S., Ohara, Y., Itami, S., Inoue, Y., Ichikawa, H. and Takayasu, S. Mongolian spots associated with cleft lip, 625

L

Labs, J. D., Williams, G. M., Manson, P. N. and Hoopes, J. E. Superior gluteal artery steal syndrome (case report), 603
Laitung, J. K.G. The lower posterolateral thigh flap, 133
Lamberty, B. G.H. The lower posterolateral thigh flap and popliteo-posterior thigh fasciocutaneous island flap: discussion, 144
Lari, A. A., Al-Rabah, N. and Dashti, H. Acrobatic ears: a cause of petrified auricles, 715
Lei, B. van der, jt. author. *See* van der Lei, B.
Lejour, M., jt. author. *See* Mey, A.de
Lejour, M., jt. author. *See* Rossillon, D.
Lendvay, P. G., jt. author. *See* Lyons, G. B.
Leung, P. C., jt. author. *See* Hung, L. K.
Levick, P. L., jt. author. *See* Blight, A.
Li Zhutian, Liu Ke and Cao Yude. The reverse flow ulnar artery island flap: 42 clinical cases, 256
Liu Ke, jt. author. *See* Li Zhutian
Lynch, G., jt. author. *See* Grace, P. A.
Lyons, G. B., Milroy, B. C., Lendvay, P. G. and Teston, L. M. Upper lip reconstruction: use of the free superficial temporal artery hair-bearing flap (case report), 333

M

McCann, J. J. and Al-Nafussi, A. I. Epithelioma cuniculatum plantare, 79
McCombe, A. W., jt. author. *See* Strachan, R. D.
McDermott, B. C., jt. author. *See* Brown, R. F.
McLean, N. R. and Ellis, H. How does sepsis promote thrombosis in microvascular anastomoses?, 314
McLean, N. R., Harrop-Griffiths, K., Shaw, H. J. and Trott, P. A. Fine needle aspiration cytology in the head and neck region, 447
MacLeod, A. M., jt. author. *See* Gumley, G. J.
MacLeod, A. M., jt. author. *See* Knight, K. R.
MacLeod, A. M., jt. author. *See* Roberts, A. H.N.
McMahon, S. B., jt. author. *See* Wood, F. M.
Madzharov, M. M. A new method of auriculoplasty for protruding ears, 285
Maeda, M., jt. author. *See* Kamiji, T.
Mahaffey, P. J., jt. author. *See* Elliot, D.
Mahfouz, E. H., Issa, M. A. and Hamdy, M. H. A policy in the management of urethral fistula, 184
Manson, P. N., jt. author. *See* Labs, J. D.
Martin, D., Rivet, D., Boileau, R. and Baudet, J. The posterior radial epiphysis free flap: a new donor site, 499
Martin, D. L. and Hunsaker, R. Controlling the medicinal leech (ideas and innovations), 116
Martin, G., jt. author. *See* Smith, R. W.
Maruyama, Y. and Iwahira, Y. Popliteo-posterior thigh fasciocutaneous island flap for closure around the knee, 140
Matsuda, M., jt. author. *See* Yoshimura, M.
Matsumoto, K., jt. author. *See* Kamiji, T
Matthews, R. N., jt. author. *See* Rauf, K. G.
Matti, B. A. and Nicolle, F. V. A simple technique for removing a silastic gel-filled breast implant through the axillary approach (ideas and innovations), 613

Mazzola, R., jt. author. *See* Hueston, J. T.
Mellow, C. G., jt. author. *See* Angel, M. F.
Mercer, N. S.G. Silicone gel in the treatment of keloid scars, 83
Mey, A.de, Hoof, I.van, Roy, G.de and Lejour, M. Anatomy of the orbicularis oris muscle in cleft lip, 710
Mey, A.de, jt. author. *See* Rossillon, D.
Milling, M. A.P., jt. author. *See* Ratcliffe, R. J.
Milner, R. H. The effect of tissue expansion on peripheral nerves, 414
Milner, R. H., jt. author. *See* Chantarasak, N. D.
Milner, R. H., jt. author. *See* Earley, M. J.
Milroy, B. C., jt. author. *See* Lyons, G. B.
Miyachi, Y., jt. author. *See* Suzuki, S.
Moghari, A., Emami, A., Sheen, R. and O'Brien, B. McC. Lower limb reconstruction in children using expanded free flaps, 649
Moran, R., jt. author. *See* Eadie, P. A.
Morgan, B. D.G., jt. author. *See* Frame, J. D.
Morgan, B. D.G., jt. author. *See* Thomson, K. D.
Morris, A. M., jt. author. *See* Dunkley, M. P.
Mott, G., jt. author. *See* Harrison, D. H.
Mutimer, K. L., jt. author. *See* Barnett, G. R.

N

Naide, Y., jt. author. *See* Nakajima, T.
Nakajima, T., Yoshimura, Y. and Naide, Y. Surgical correction of complete bifid scrotum using subcutaneous pedicle flaps: a report of two cases (case report), 328
Nanchahal, J. Stretching skin to the limit: a novel technique for split skin graft expansion, 88
Nicolle, F. V., jt. author. *See* Matti, B. A.
Nightingale, G., jt. author. *See* Roberts, A. H.N.
Nishioka, K., jt. author. *See* Kamiji, T.
Niwa, Y., jt. author. *See* Suzuki, S.
Norris, R. W., jt. author. *See* Gattuso, J. M.

O

O'Brien, B. McC., Khazanchi, R. K., Kumar, P. A.V., Dvir, E. and Pederson, W. C. Liposuction in the treatment of lymphoedema: a preliminary report, 530
O'Brien, B. McC., jt. author. *See* Angel, M. F.
O'Brien, B. McC., jt. author. *See* Gumley, G. J.
O'Brien, B. McC., jt. author. *See* Knight, K. R.
O'Brien, B. McC., jt. author. *See* Moghari, A.
O'Brien, B. McC., jt. author. *See* Roberts, A. H.N.
Ohara, Y., jt. author. *See* Kurata, S.
Okabe, N., jt. author. *See* Sakai, S.
Ordman, A. J., jt. author. *See* Thomson, K. D.

P

Parkhouse, N., jt. author. *See* Thomson, K. D.
Pederson, W. C., jt. author. *See* O'Brien, B. McC.
Pennings, A. J., jt. author. *See* Robinson, P. H.
Percival, N. J. and Earley, M. J. Anomalous blood supply to the serratus anterior/rib composite flap (case report), 98
Percival, N. J. and Earley, M. J. Pharyngostome closure using the radial forearm free flap, 473
Percival, N. J., Sykes, P. J. and Earley, M. J. Free flap surgery: the Welsh Regional Unit experience, 435
Phillips, J. H., jt. author. *See* Gruss, J. S.
Piironen, J., jt. author. *See* Waris, T.
Pollock, R. A., jt. author. *See* Gruss, J. S.
Poole, M. D. A composite flap for early treatment of hemifacial microsomia, 163
Poole, M. D. A short history of the Oxford Plastic Surgery Unit, 349
Poole, M. D. Experiences in the surgical treatment of craniorbital neurofibromatosis, 155
Powell, B. W.E. M. The value of head dressings in the postoperative management of the prominent ear, 692
Prasad, S., jt. author. *See* Green, C. J.
Purohit, S. K., Kumta, S. M., Rao, P. P. and Thatte, R. L. An interesting case of aglossia-adactyly syndrome (case report), 228
Purohit, S. K., jt. author. *See* Thatte, M. R.

Q

Quaba, A. A. Results of argon laser treatment of port-wine stains: a method of assessment, 125
Quaba, A. A., jt. author. *See* Heywood, A. J.

R

Rao, G. S.S., jt. author. *See* Govila, A.
Rao, P. P., jt. author. *See* Purohit, S. K.
Ratcliffe, R. J. and Milling, M. A.P. Unilateral right lower lip sinus associated with an ipsilateral cleft of the lip and palate (case report), 92
Rauf, K. G. and Matthews, R. N. Cover of pre-sternal defects (letter to the editor), 725
Rivet, D., jt. author. *See* Martin, D.
Roberts, A. H.N., Wee, J. T.K., Nightingale, G., MacLeod, A. M. and O'Brien, B. McC. Glutaraldehyde-tanned microvascular grafts, 429
Robertson, A. G., jt. author. *See* Freedlander, E.
Robin, A. A., jt. author. *See* Copas, J. B.
Robinson, P. H., van der Lei, B., Jongebloed, W. L., Hoppen, H. J. and Pennings, A. J. Prosthetic microvenous grafting into the femoral vein of the rat; considerations concerning the anastomotic technique, 538
Robinson, P. H., van der Lei, B., Knol, K. E. and Pennings, A. J. Patency and long-term biological fate of a two-ply biodegradable microarterial prosthesis in the rat, 544
Robinson, P. H., jt. author. *See* van der Lei, B.
Rocke, A. M., jt. author. *See* Jones, N. F.
Rossillon, D., De Mey, A. and Lejour, M. Pterygium colli: surgical tratment, 178
Rowsell, A. R. The amniotic band disruption complex. The pathogenesis of oblique facial clefts; an experimental study in the foetal rat, 291
Rowsell, A. R. The post-injury changes that occur in transected foetal nerves; an experimental study in the rat, 296
Roy, G. de, jt. author. *See*Mey, A.de

S

Sagara, S., jt. author. *See* Tahara, S.
Sakai, S., Soeda, S., Endo, T., Ishii, M. and Uchiumi, E. A compound radial artery forearm flap for the reconstruction of lip and chin defect (case report), 337

Sakai, S., Soeda, S. and Okabe, N. The nasalis musculocutaneous flap; a report of three cases, 695
Sanders, R., jt. author. *See* Frame, J. D.
Schoorl, R., jt. author. *See* Timmenga, E. J.F.
Sells, R. A., jt. author. *See* Walker, S. J.
Shaw, H. J., jt. author. *See* McLean, N. R.
Shaw, W. M.H. Plastic surgery in Leeds, 107
Sheen, R., jt. author. *See* Moghari, A.
Shi-Min Chang Classification of fasciocutaneous flaps (letter to the editor), 616
Shimada, T., jt. author. *See* Yoshimura, M.
Shons, A. R. Wide excision of perineal Hailey-Hailey disease with healing by secondary intention (case report), 230
Shurey, C., jt. author. *See* Green, C. J.
Šmahel, J. Experimental implantation of adipose tissue fragments, 207
Smith, R. W., Martin, G. and Davies, D. M. Morphological and morphometric changes in revascularised bowel grafts reconstructing the cervical oesophagus, 199
Soeda, S., jt. author. *See* Koshima, I.
Soeda, S., jt. author. *See* Sakai, S.
Soutar, D. S., jt. author. *See* Freedlander, E.
Srivastava, S. Reconstruction of traumatic loss of vermilion and mucocutaneous junction of the lips, 526
Steffens, K., jt. author. *See* Hong, G.
Stern, H. S. Silver sulphadiazine and the healing of partial thickness burns: a prospective clinical trial, 581
Stevenson, T. R., jt. author. *See* Iacobucci, J. J.
Stott, D. G. Reflex bradycardia in facial surgery, 595
Strachan, R. D., McCombe, A. W. and Sutherland, A. B. The long-term results of electric fire hand burns in children, 468
Stranc, M. F. and Globerman, D. Y. Accidental reinnervation as a complication of latissimus dorsi free flap to the face and scalp (case report), 341
Stranc, M. F., jt. author. *See* Al-Qattan, M. M.
Sugiura, S., jt. author. *See* Torii, S.
Susuki, T., jt. author. *See* Tahara, S.
Sutherland, A. B., jt. author. *See* Strachan, R. D.
Suzuki, S., Miyachi, Y., Niwa, Y. and Isshiki, N. Significance of reactive oxygen species in distal flap necrosis and its salvage with liposomal SOD, 559
Swartz, W. M., jt. author. *See* Jones, N. F.
Sykes, P. J., jt. author. *See* Percival, N. J.

T

Tahara, S., Susuki, T., Kikui, T. and Sagara, S. Mandibular reconstruction with subsequent denture implantation (case report), 344
Takato, T., Takeda, H. and Kamei, M. First branchial cleft sinus in hemifacial microsomia (case report), 95
Takayasu, S., jt. author. *See* Kurata, S.
Takeda, H., jt. author. *See* Takato, T.
Takeshita, T., jt. author. *See* Kiyoizumi, T.
Tanner, N. S.B., jt. author. *See* Thomson, S. J.
Taylor, G. I., jt. author. *See* Barnett, G. R.
Tempest, M. N. Editing and auditing: a crisis in communication (Gillies Memorial Lecture 1987), 1
Teston, L. M., jt. author. *See* Lyons, G. B.
Thatte, M. R., Kamdar, N. B., Khakkar, D. V., Varade, M. A. and Thatte, R. L. Static and dynamic computerised radioactive tracer studies, vital dye staining and theoretical mathematical calculations to ascertain the mode of survival of single cephalad channel venous island flaps, 405
Thatte, M. R., Kumta, S. M., Purohit, S. K., Deshpande, S. N. and Thatte, R. L. Cephalic venous flap: a series of 8 cases and a preliminary report on the use of ^{99m}Tc labelled RBCs to study the saphenous venous flap in dogs, 193
Thatte, M. R., jt. author. *See* Thatte, R. L.
Thatte, R. L. A manoeuvre to locate the distal urethral opening at the tip of the glans in the final stage of Cecil-Culp urethroplasty, 70
Thatte, R. L. and Thatte, M. R. The saphenous venous flap, 399
Thatte, R. L., jt. author. *See* Deshpande, S. N.
Thatte, R. L., jt. author. *See* Purohit, S. K.
Thatte, R. L., jt. author. *See* Thatte, M. R.
Thomas, R., jt. author. *See* Viegas, T.
Thomson, K. D., Ordman, A. J., Parkhouse, N. and Morgan, B. D.G. Use of the Brain laryngeal mask airway in anticipation of difficult tracheal intubation, 478
Thomson, S. J. and Tanner, N. S.B. Carcinoma of the apocrine glands at the base of eyelashes; a case report and discussion of histological diagnostic criteria (case report), 598
Timmenga, E. J.F., Schoorl, R., Bos, J. D. and Klopper, P. J. An improved model for tissue expansion and flap research in the rabbit, 301
Timmons, M. J., jt. author. *See* Coleman, D. J.
Tolhurst, D. E. A standard method for the correction of hypospadias, 638
Torii, S., Hayashi, Y., Hasegawa, M. and Sugiura, S. Reverse flow saphenous island flap in the patient with below-knee amputation, 517
Towpik, E. Meshed allograft skin and cyclosporin immunosuppression (letter to the editor), 618
Trott, P. A., jt. author. *See* McLean, N. R.

U

Uchiumi, E., jt. author. *See* Sakai, S.
Utunomiya, R., jt. author. *See* Koshima, I.

V

Valauri, F. A., jt. author. *See* Hirasé, Y.
Valtimo, J., jt. author. *See* Waris, T.
van der Lei, B., Robinson, P. H., Bartels, H. L. and Wildevuur, Ch.R. H. Microarterial grafting into the carotid artery of the rabbit: some considerations concerning species-dependent thrombogenicity, 59
van der Lei, B., jt. author. *See* Robinson, P. H.
Varade, M. A., jt. author. *See* Thatte, M. R.
Viegas, T., Thomas, R. and Guido, N. L. An improvised mould for vaginoplasty (ideas and innovations), 487

W

Walker, S. J., Bullen, P. and Sells, R. A. A new splint for use in axillary surgery (ideas and innovations), 114
Wang, F. B., jt. author. *See* Hong, G.
Ward, D. J., Bennett, J. P., Burgos, H. and Fabre, J. The healing of chronic venous leg ulcers with prepared human amnion, 463
Ward, D. J. and Wilson, J. S.P. Abdominal reduction following jejunoileal bypass for morbid obesity, 586

Waris, T., Åstrand, K., Hämäläinen, H., Piironen, J., Valtimo, J. and Järvilehto, T. Regeneration of cold, warmth and heat-pain sensibility in human skin grafts, 576
Wee, J. T. K., jt. author. *See* Roberts, A. H.N.
Wells, M. D. and Kerrigan, C. L. Experimental reconstruction of cutaneous defects with microvascular jejunal transplants, 425
Wildevuur, Ch.R. H., jt. author. *See* van der Lei, B.
Williams, G. M., jt. author. *See* Labs, J. D.
Wilson, J. S.P., jt. author. *See* Ward, D. J.
Wood, F. M. and McMahon, S. B. The response of the peripheral nerve field to controlled soft tissue expansion, 682

Y

Yoshimura, M., Shimada, T., Matsuda, M., Hosokawa, M. and Imura, S. Double peroneal free flap for multiple skin defects of the hand, 718
Yoshimura, Y., jt. author. *See* Nakajima, T.
Young, C. M.A., jt. author. *See* Hawkes, J. S.

Z

Zanasi, S., jt. author. *See* Caroli, A.